

Instructions for Parents of Children Having Surgery at the Manhattan Surgery Center

Michael Rothschild, MD
Director, Pediatric Otolaryngology
Mount Sinai Medical Center

1175 Park Avenue, NY, NY 10128
(212) 996-2995
www.KidsENT.com

I know that it can be very stressful preparing your child for surgery. The following instructions may help. After reading them carefully, please let me know if there is anything that you do not understand about the operation.



MEDICATION

Some drugs can worsen surgical bleeding, and should be avoided for two weeks before and after the surgery. While these are rarely used in children, avoid herbal, garlic or fish oil dietary supplements. If your child takes aspirin or other anticoagulants, let me know before making any changes. Ibuprofen (Advil or Motrin) is OK to use before and most operations - I will tell you if this should be avoided. **Asthma inhalers should be taken** on the morning of surgery.



PREOPERATIVE TESTS

Before most operations I do not require any specific tests (such as x-rays or blood tests) on otherwise healthy children. Certain operations might require a CT scan or other test, but I will discuss this with you if necessary.



MEDICAL CLEARANCE

Your child's pediatrician must provide a complete written history and physical examination for the anesthesiologist. We have a form for this at the office that you should use, but any written report from your doctor is fine. This must be delivered to my office **at least 2 days** (but not more than one month) before the surgery date. However, **it is best to bring a copy with you** on the day of surgery to ensure that the operation will not be delayed.



SICKNESS

It is very common for a child's surgery to be cancelled due to a cold or other infection, especially in the winter. This is mainly because the risk of anesthesia goes up if a patient has a respiratory infection. The final decision is made by the anesthesiologist on the morning of surgery. While operations are not cancelled for minor symptoms, if your child is clearly sick during the week before surgery, please check with me about rescheduling.



TIME OF SURGERY

The surgery center is continually adding and removing cases to the schedule, and therefore does not assign starting times until each afternoon for the following day. They will contact you on the day before the operation. Please be sure that we know how to reach you on this date, and call my office before 4 PM if you haven't heard from either us or the surgery center.

Also realize that the length of an operation can vary due to unforeseen circumstances, and a procedure may take longer than anticipated. You should understand that each child has to be given our full attention for safety's sake, even if it means delaying the cases that follow. Therefore, the starting time that you are given is an estimate, and the later in the day you are scheduled, the more likely there is to be some degree of delay.



EATING AND DRINKING

Your child should be watched carefully before surgery, since they may try to eat or drink, which will delay or cancel their operation. This is because it is dangerous to have anything in the stomach when anesthesia is given. **CLEAR liquids**, such as water, clear jello or apple juice (not cider) are OK up to three hours before the time of surgery. Breast milk is allowed up to 4 hours prior to surgery. **No other foods or liquids may be taken for eight hours prior to the operation.**



REGISTRATION

The Manhattan Surgery Center scheduling office will let you know the time to arrive at the center on the 6th floor of 619 West 54th Street (between 11th avenue and the West Side Highway). Typically, this is around an hour prior to the time of surgery, to allow for paperwork and evaluation by the anesthesiologist. If you are delayed, or are not sure where to go, call my office or call the center directly at (212) 231-7778

Patient Name: _____

Date of Surgery: _____